

MATERIAL SAFETY DATA SHEET

SECTION I

GENERAL INFORMATION

Information furnished by: Schott Glass Technologies. Inc.

Address: 400 York Avenue. Duryea, PA 18642

Telephone Number: (717) 457-7485

Product Name(s): SF-59
Chemical Name: Inorganic Glass
C.A.S. Number: 65997-17-3
Date effective: 03-10-88

SECTION II CHEMICAL NAME	INGREDIENTS DATA					
	PERCENT	REG." (Y/N)	CAS#	OSHA (PEL)	ACGIH (TLV)	CARC. (Y/N)
Silica	1-10	Y	014808607	0.1mg/m ₃	0.1mg/m3	N
Boron Oxide	1-10	Y	001303862	15mg/m2	10mg/m3	ĸ
Lead Oxide	>51	Y	1317368	50ug/m3	150ug/m ₃	N
Aluminum Oxide	1-10	Y	001344281	15mg/m ₂	10mg/m2	N
Arsenic Trioxide	<1	Y	1327533	10ug/m	200ug/m ³	Y

....

* Regulated as per lists: OSHA 29CFR 1910 Subpart Z: ACGIH: NTP and IARC

SECTION III

PHYSICAL DATA

Boiling point: not applicable Vapor pressure: not applicable Vapor density: not applicable Solubility in water: not applicable

Specific gravity: 6.29 M Iting point: 362°C

Physical state: solid with a density of 6.26g/cm³

Appearance and odor. various forms and shapes with no odor

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash point: not applicable

Auto ignition temperature: not applicable

Flammable limits/% volume in air: not applicable

Extinguishing media: This material is non-combustible

Special fire fighting procedures: Use extinguishing media that is appropriate for the classification

t the surrounding fire. Inorganic glass is non-combustible.

Unusual fire and explosion hazards: There is a possibility of flying glass fragments if hot glass comes in contact with water or carbon dioxide extinguishing media.

SECTION V HEALTH HAZARD DATA

Route(s) of Entry:

Effects of Overexposure

Inhalation:

Primary effects are those of lead. Acute: Nausea, headache, cramps, dizziness, weakness, diarrhea. Chronic: Damage to liver and kidney, blood forming organs, reproductive system.

Ingestion:

Primary effects are those of lead. May cause vomiting, diarrhea, depression f circulation and in severe cases shock, coma, paralysis and cyanosis.

Skin:

Primary effects are those of arsenic. Arsenic has been known to produce itching, pigmentation and cancerous changes of the skin. Glass dust may cause irritation.

Eye:

May cause irritation.

First Aid:

Inhalation: Remove from exposure. Biological monitoring and medical

exam may be required for excessively overexposed persons.

Indestion:

Contact physician immediately.

Skin:

Wash with soap and water. Get medical attention if

irritation persists.

Eye:

Flush well with running water. Get medical attention if

irritation persists.

SECTION VI SPILL, LEAK AND DISPOSAL

Spill or leak procedures: No special precautions.

Waste disposal: Follow Federal. State and Local Regulations.

SECTION VII SPECIAL PROTECTION INFORMATION

Engine ring controls: Use local exhaust ventilati n. hood or equipment enclosure to avoid dispersal

of fibr us or other glass particulates into the workplace air.

Personal prot_ctive equipment:

Respiratory — If glass dust or particulates are above the OSHA permissible exposure limits use a NIOSH approved respirator for dust and fibers. Eye protection — Industrial safety glasses that meet ANSI Z 87 standards. Protective gloves — Recommend gloves for protection from sharp edges.

SECTION VIII SPECIAL PRECAUTIONS AND COMMENTS

Reactivity: This is stable material. Glass is linert to many chemicals, but may react to hot, strong alkaline

solutions and with hydrofluoric, fluosilicic and phosphoric acids. Hazardous Decomposition

or Byproducts: May emit metal oxide fumes when heated to high temperatures.

Comments: Inorganic glass is an amorphous, inorganic, usually transparent or translucent substance

consisting of a mixture of silicates or sometimes borates or phosphates formed by fusion of silica and various types of oxides with a flux and a stabilizer, into a mass that cools to a rigid

condition without crystallization.

This Material Safety Data Sheet is offered solely for your information, consideration and investigation. It provides no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.